

REPORT FOR

Alex Sample

DATE OF BIRTH

4/12/1990

DATE OF REPORT

8/25/2026

CHECK-INS

4

This report is not for making your own medical decisions. Please share it with your doctor, and talk it through together before changing anything about your treatment.

Sensus Review

4 check-ins, four weeks apart. Overall symptoms (CSI) eased from **29** to **11**; the M3 total from **49** to **14**; side-effects (GASS) **rose** from 11 to **18** (moderate). Symptoms are easing while side-effects are climbing: **worth raising at your next visit.**

sample person

Taking the medicine

All

In the past four weeks: **All of it.** Shown first because no conclusion about a medicine can be drawn without it.

Therapy and support, past four weeks: 12 sessions (1 Individual therapy or counselling, 4 CBT for psychosis (CBTp), 4 Group therapy or skills group, 1 Case manager or ACT team visit, 2 Peer support).

Schizophrenia measures — today

POSITIVE SYMPTOMS Colorado Symptom Index

11 of 56

Below cut-off

the person, line 30

pending

PARANOIA R-GPTS Part A / Part B

5 / 7 of 32 / 40

Elevated

last quarterly, 8/25/2026, Part B = persecution

pending

NEGATIVE SYMPTOMS MAP-SR

32 of 60

last quarterly, 8/25/2026, higher = more motivation

pending

AWARENESS VAGUS-SR insight

6.7 of 10

last quarterly, 8/25/2026, higher = more insight

pending

FUNCTION WHODAS self / family

9 / 12 of 48

last quarterly, 8/25/2026, higher = more difficulty

pending

SIDE-EFFECTS GASS

18 of 66

Moderate

the person, past week

pending

Mood, pain and sleep — today

FEELINGS M3 Total Score

14 of 108

Below 33

the person, line 33

PAIN DVPRS pain (now)

2 of 10

Mild

"Notice pain, does not interfere with activities"

SLEEP PROMIS Sleep (raw)

16 of 40

T-score pending

the person, past 7 days

pending

CONTEXT TAPS substance use

Some use

last quarterly, 8/25/2026, past 12 months

If you are having thoughts of suicide or are in crisis, call or text 988 (Suicide & Crisis Lifeline) any time, day or night, or go to the nearest emergency room.

Sensus Review — over time

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Every part over time



Each row keeps its own scale; the red dashed line is the published line where one exists. Instruments marked pending are illustrations until permission is granted. **illustration, permission pending**

Your life beside your scores

Check-in	What happened	Answered from	CSI	GASS	M3	Pain	Medicine taken	Therapy
6/2/2026	A stressful event or loss	At home	29	11	49	4	85%	5
6/30/2026	Spent good time with family or friends	At home	23	19	36	3	85%	8
7/28/2026	Started or went back to work, school or volunteering	Somewhere else	15	20	22	2	100%	9
8/25/2026	Started or went back to work, school or volunteering Spent good time with family or friends	At home	11	18	14	2	100%	12

Your goals

Keep my job

started at 3 / 10, now 7 / 10

Sleep through the night

started at 2 / 10, now 6 / 10

See my children more

started at 3 / 10, now 7 / 10

Answers to the questions — schizophrenia measures

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Shown first because these are the measures built for schizophrenia. Every-four-weeks answers from 8/25/2026; quarterly answers from 8/25/2026.

POSITIVE SYMPTOMS, CSI

Draft wording from the PhenX Toolkit ("freely available; permission not required"); written confirmation pending

1	How often have you felt nervous, tense, worried, frustrated, or afraid?	1 Once during the month
2	How often have you felt depressed?	1 Once during the month
3	How often have you felt lonely?	1 Once during the month
4	How often have others told you that you acted 'paranoid' or 'suspicious'?	1 Once during the month
5	How often did you hear voices, or hear and see things that other people didn't think were there?	1 Once during the month
6	How often did you have trouble making up your mind about something, like deciding where you wanted to go or what you were going to do, or how to solve a problem?	1 Once during the month
7	How often did you have trouble thinking straight or concentrating on something you needed to do (like worrying so much or thinking about problems so much that you can't remember or focus on other things)?	1 Once during the month
8	How often did you feel that your behavior or actions were strange or different from that of other people?	1 Once during the month
9	How often did you feel out of place or like you did not fit in?	1 Once during the month
10	How often did you forget important things?	0 Not at all
11	How often did you have problems with thinking too fast (thoughts racing)?	1 Once during the month
12	How often did you feel suspicious or paranoid?	1 Once during the month
13	How often did you feel like hurting or killing yourself?	0 Not at all
14	How often have you felt like seriously hurting someone else?	0 Not at all

PARANOIA, R-GPTS

Draft wording from the CC BY 4.0 validation article (Freeman et al., 2021); written confirmation from the authors pending

Part A			Part B		
1	I spent time thinking about friends gossiping about me.	1	9	Certain individuals have had it in for me.	1
2	I often heard people referring to me.	0 Not at all	10	People wanted me to feel threatened, so they stared at me.	1
3	I have been upset by friends and colleagues judging me critically.	1	11	I was certain people did things in order to annoy me.	1
4	People definitely laughed at me behind my back.	1	12	I was convinced there was a conspiracy against me.	0 Not at all
5	I have been thinking a lot about people avoiding me.	0 Not at all	13	I was sure someone wanted to hurt me.	1
6	People have been dropping hints for me.	1	14	I couldn't stop thinking about people wanting to confuse me.	1
7	I believed that certain people were not what they seemed.	1	15	I was distressed by being persecuted.	0 Not at all
8	People talking about me behind my back upset me.	0 Not at all	16	It was difficult to stop thinking about people wanting to make me feel bad.	1
			17	People have been hostile towards me on purpose.	1
			18	I was angry that someone wanted to hurt me.	0 Not at all

Answers to the questions — negative symptoms, awareness and everyday life

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

NEGATIVE SYMPTOMS, MAP-SR

Permission to be requested: the item wording appears here once permission is granted. **illustration, permission pending**

1	Item 1, wording pending	2	6	Item 6, wording pending	2	11	Item 11, wording pending	3
2	Item 2, wording pending	2	7	Item 7, wording pending	2	12	Item 12, wording pending	2
3	Item 3, wording pending	2	8	Item 8, wording pending	2	13	Item 13, wording pending	2
4	Item 4, wording pending	2	9	Item 9, wording pending	2	14	Item 14, wording pending	2
5	Item 5, wording pending	3	10	Item 10, wording pending	2	15	Item 15, wording pending	2

AWARENESS, VAGUS-SR

Licence pending (CAMH): the item wording appears here once permission is granted. **illustration, permission pending**

1	Item 1, wording pending	7	5	Item 5, wording pending	7	9	Item 9, wording pending	6
2	Item 2, wording pending	7	6	Item 6, wording pending	6	10	Item 10, wording pending	7
3	Item 3, wording pending	6	7	Item 7, wording pending	7			
4	Item 4, wording pending	7	8	Item 8, wording pending	7			

FUNCTION: YOUR OWN VIEW, WHODAS

Draft wording from the WHO 12-item self and proxy forms; WHO permission to be confirmed before release

1	Standing for long periods such as 30 minutes?	1 Mild
2	Taking care of your household responsibilities?	1 Mild
3	Learning a new task, for example, learning how to get to a new place?	0 None
4	How much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	1 Mild
5	How much have you been emotionally affected by your health problems?	1 Mild
6	Concentrating on doing something for ten minutes?	1 Mild
7	Walking a long distance such as a kilometre [or equivalent]?	1 Mild
8	Washing your whole body?	0 None
9	Getting dressed?	1 Mild
10	Dealing with people you do not know?	1 Mild
11	Maintaining a friendship?	1 Mild
12	Your day-to-day work?	0 None

FUNCTION: FAMILY MEMBER'S VIEW, WHODAS

Draft wording from the WHO 12-item self and proxy forms; WHO permission to be confirmed before release

1	Standing for long periods such as 30 minutes?	1 Mild
2	Taking care of his or her household responsibilities?	2 Moderate
3	Learning a new task, for example, learning how to get to a new place?	0 None
4	How much of a problem did your relative have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?	1 Mild
5	How much has your relative been emotionally affected by his or her health condition?	1 Mild
6	Concentrating on doing something for ten minutes?	1 Mild
7	Walking a long distance such as a kilometre [or equivalent]?	2 Moderate
8	Washing his or her whole body?	0 None
9	Getting dressed?	1 Mild
10	Dealing with people he or she does not know?	1 Mild
11	Maintaining a friendship?	1 Mild
12	His or her day-to-day work?	1 Mild

Treatment and side-effects

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Medicines

Medicine	For	Form	Started	Status	Trial window
Cobenfy (example)	Psychosis	Tablet or capsule	6/2/2026	Taking	12 weeks, past the 6-week mark
Medicine B (example)	Side-effects	Tablet or capsule	6/30/2026	Taking	8 weeks, past the 6-week mark
Olanzapine (example)	Psychosis	Tablet or capsule	11/1/2025	Stopped	—

No doses are shown. A trial of a medicine is usually judged over at least six weeks.

Therapy and support over time

Kind	6/2/2026	6/30/2026	7/28/2026	8/25/2026
Individual therapy or counselling	2	2	2	1
CBT for psychosis (CBTp)	0	0	2	4
Group therapy or skills group	2	4	4	4
Family sessions	0	1	0	0
Case manager or ACT team visit	1	1	1	1
Peer support	0	0	0	2
Total sessions	5	8	9	12

Sessions in the four weeks before each check-in, as the person reported them. Kinds with no sessions are left out.

SIDE-EFFECTS: ANSWERS TO THE QUESTIONS, GASS

Draft wording from the PhenX Toolkit ("freely available; permission not required"); written confirmation pending

Over the past week			12	My mouth has been dry	0 Never
1	I felt sleepy during the day	2 A few times	13	I have had difficulty passing urine	1 Once
2	I felt drugged or like a zombie	1 Once	14	I have felt like I am going to be sick or have vomited	0 Never
3	I felt dizzy when I stood up and/or have fainted	1 Once	15	I have wet the bed	2 A few times
4	I have felt my heart beating irregularly or unusually fast	1 Once	16	I have been very thirsty and/or passing urine frequently	0 Never
5	My muscles have been tense or jerky	0 Never	17	The areas around my nipples have been sore and swollen	2 A few times
6	My hands or arms have been shaky	1 Once	18	I have noticed fluid coming from my nipples	0 Never
7	My legs have felt restless and/or I couldn't sit still	1 Once	19	I have had problems enjoying sex	0 Never
8	I have been drooling	0 Never	20	Men only: I have had problems getting an erection	1 Once
9	My movements or walking have been slower than usual	1 Once	Over the last three months		
10	I have had, or people have noticed uncontrollable movements of my face or body	0 Never	22	Men and women: I have been gaining weight	Yes
11	My vision has been blurry	1 Once			

Answers to the questions — mood (M3) and pain (DVPRS)

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Today's check-in, 8/25/2026.

DEPRESSION SYMPTOMS

Over the last two weeks, have you noticed the following:

1	I feel sad, down in the dumps or unhappy	1
2	I can't concentrate or focus	1
3	Nothing seems to give me much pleasure	1
4	I feel tired; have no energy	2
5	I have had thoughts of suicide	0
6a	I have difficulty sleeping	1
6b	I have been sleeping too much	0
7a	I have lost some appetite	0
7b	I have been eating more	0

ANXIETY, PTSD AND OCD SYMPTOMS

Over the last two weeks, have you noticed the following:

8	I feel tense, anxious or can't sit still	1
9	I feel worried or fearful	1
10	I have attacks of anxiety or panic	0
11	I worry about dying or losing control	0
12	I am nervous or shaky in social situations	1
13	I have nightmares or flashbacks	1
14	I am jumpy or feel startled easily	1
15	I avoid places that strongly remind me of a bad experience	0
16	I feel dull, numb, or detached	1
17	I can't get certain thoughts out of my mind	0
18	I feel I must repeat certain acts or rituals	0
19	I feel the need to check and recheck things	0

BIPOLAR SYMPTOMS

Over your lifetime or since you have last taken this assessment have you ever:

20	Had more energy than usual	0
21	Felt unusually irritable or angry	1
22	Felt unusually excited, revved up or high	0
23	Needed less sleep than usual	0

FUNCTIONAL IMPAIRMENT

Indicate whether any of the above symptoms

24	Interferes with work or school	1
25	Affects my relationships with friends or family	0
26	Has led to my using alcohol to get by	0
27	Has led to my using other substances	0

Legend — answer scale

0	Not at all
1	Rarely
2	Sometimes
3	Often
4	Most of the time

M3 scores — today

Depression 6 of 28	Below screen
Anxiety 6 of 48	Below screen
PTSD 3 of 16	Below screen
Bipolar signs 1 of 16	Below screen

Screen positive = meets the published cut-off (Gaynes et al., 2010). Validated in primary care; not yet studied in schizophrenia.

DVPRS pain scale (0–10)

2	Pain right now. "Notice pain, does not interfere with activities"
1	Activity. past 24 hours
2	Sleep. past 24 hours
1	Mood. past 24 hours
2	Stress. past 24 hours

The pain score is the first number; the four past-24-hour answers are shown one by one and never averaged.

About these answers

The M3 Checklist is M3 Information's own instrument. The DVPRS is a US federal scale, used unaltered. Every answer is shown exactly as given.

Answers to the questions — sleep, substance use and background

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

SLEEP, PROMIS SLEEP

Permission pending (HealthMeasures): the item wording appears here once permission is granted. **illustration, permission pending**

1	Item 1, wording pending	2	4	Item 4, wording pending	2	7	Item 7, wording pending	2
2	Item 2, wording pending	2	5	Item 5, wording pending	2	8	Item 8, wording pending	2
3	Item 3, wording pending	2	6	Item 6, wording pending	2			

CONTEXT: SUBSTANCE USE, TAPS

Public domain (NIDA Clinical Trials Network). Part 2 follow-up questions to be added

1	In the PAST 12 MONTHS, how often have you used any tobacco product (for example, cigarettes, e-cigarettes, cigars, pipes, or smokeless tobacco)?	1 Less Than Monthly
2	In the PAST 12 MONTHS, how often have you had 5 or more drinks containing alcohol in one day?	0 Never
4	In the PAST 12 MONTHS, how often have you used any drugs including marijuana, cocaine or crack, heroin, methamphetamine (crystal meth), hallucinogens, ecstasy/MDMA?	0 Never
5	In the PAST 12 MONTHS, how often have you used any prescription medications just for the feeling, more than prescribed or that were not prescribed for you? Prescription medications that may be used this way include: Opiate pain relievers (for example, OxyContin, Vicodin, Percocet, Methadone); Medications for anxiety or sleeping (for example, Xanax, Ativan, Klonopin); Medications for ADHD (for example, Adderall or Ritalin)	0 Never

Background

Question	Answer
Year symptoms first began	2014
Mental-health hospital stays, past year	1
Close family history of psychosis or bipolar disorder	Yes
Other conditions	None of these

Reading these instruments together

Each instrument keeps its own scale and its own published line. Scores are never added across instruments, and the person's and family member's answers are never averaged. A change means most when it appears in more than one part of the picture, and when it is set beside what was happening in the person's life.

Prepared recommendation — for the prescriber

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Clinician version, in-office use only. Cobenfy, Bysanti, Clozapine compared against the M3, the schizophrenia measures, side-effects, adherence and medicine history, using the FDA labels and NICE CG178. For the prescriber to review with the person; no doses; the prescriber decides.

PREPARED RECOMMENDATION

Cobenfy fits this record best of the 3 compared (already prescribed: review response and tolerability before any change).

M3 total 14 of 108.

1. Cobenfy currently prescribed +1

Weight	What in the record	Source
For +1	Side-effects 18 on the GASS; no dopamine blockade, so movement and prolactin effects are not label warnings	FDA label

2. Bysanti 0

Nothing in the record weighs for or against it.

3. Clozapine -3

Weight	What in the record	Source
Against -1	Tobacco use; a change in smoking alters clozapine levels	FDA label
Against -2	No treatment-resistance pattern; the label and NICE reserve it for illness not responding to 2 adequate trials	NICE CG178

What Sensus read from the record

Treatment-resistance pattern	No (2 antipsychotics on record; CSI 11)	Weight or metabolic risk	Not flagged
Suicidal thoughts, last 3 check-ins	No	Side-effects (GASS)	18, moderate or worse
M3 bipolar screen	Negative	Medicine taken	100%
M3 depression screen	Negative	Substance use (TAPS; M3 items 26–27)	None reported, tobacco
M3 anxiety or PTSD screen	Negative	Motivation and pleasure (MAP-SR)	32 of 60

Weights: a matching FDA indication or NICE recommendation counts most; matching label warnings count against. Medicines compared are set in Clinical Support Set Up.

Clinical guidance — for the clinician

Name: Alex Sample Birthdate: 4/12/1990 Date of report: 8/25/2026 Check-ins: 4

Clinician version, in-office use only. Guidance set beside the check-in of 8/25/2026. This page is not part of the person's own report or PDF. Guideline prompts for the prescriber; no doses are shown and the prescriber decides with the person. Covered: NICE CG178, CANMAT (mood); Cobenfy (KarXT), Bysanti, Clozapine.

NICE CG178 — schizophrenia

Physical-health timetable	Next checks	Weeks on it
Cobenfy (example)	12-week checks due now: weight, pulse, blood pressure, fasting glucose, HbA1c, lipids	12
The record shows	Guidance	Source
1 antipsychotic in the medicine list	Physical health monitoring: weight weekly for the first 6 weeks, then at 12 weeks, at 1 year and then annually (plotted on a chart); waist circumference annually; pulse and blood pressure at 12 weeks, at 1 year and then annually; fasting blood glucose, HbA1c and blood lipids at 12 weeks, at 1 year and then annually.	NICE CG178
GASS 18 (moderate)	Discuss and record the side-effects the person is most willing to tolerate. Side-effect profiles (metabolic, movement, cardiovascular, hormonal and subjective) are a main basis for choosing between antipsychotics.	NICE CG178
No family sessions in the past four weeks	Offer family intervention to families who live with or are in close contact with the person, over at least 10 planned sessions across 3 months to 1 year.	NICE CG178
Tobacco use reported on the TAPS	Offer help to stop smoking. Stopping or starting smoking changes clozapine and olanzapine levels.	NICE CG178
Standing recommendation	Offer a combined healthy eating and physical activity programme.	NICE CG178

CANMAT — mood components

No M3 mood screen was positive at this check-in, so no CANMAT guidance applies today. It will appear here if the depression or bipolar screen turns positive.

Medicines the person takes

Cobenfy (KarXT) xanomeline and trospium chloride, FDA approved 2024, 12 weeks

The record shows	Guidance	Source
Taking it	Taken at least 1 hour before or 2 hours after a meal; capsules are not opened. Meal timing is a common reason doses go wrong.	FDA label
Taking it	Label warnings to watch: urinary retention, decreased GI motility, increased heart rate, angioedema, narrow-angle glaucoma, hepatic impairment. Not recommended in moderate or severe renal impairment; contraindicated in moderate or severe hepatic impairment. Lower dose ceiling in older adults (see label).	FDA label
Taking it	No metabolic warning in the label, but NICE physical monitoring still applies to all antipsychotics.	FDA label

Guideline wording is summarised; exact NICE recommendation text and numbers will replace it before release. Sources: NICE CG178; CANMAT/ISBD 2018 (Yatham et al.); CANMAT 2023 (Lam et al.); FDA prescribing information. Settings: Clinical Support Set Up.